



[UniFi](#) [UISP](#) [Branding](#)

Q Search UniFi products

[Switching](#)

[WiFi](#)

[Camera Security](#)

[Door Access](#)

[Integrations](#)

[Advanced Hosting](#)

Dome & Turret > [G6 Pro Turret](#)



G6 Pro Turret

UVC-G6-Pro-Turret




[Datasheet](#)

[In The Box](#)

[Marketing Images](#)

[Accessories](#)

[Installation Guide](#)




^ Overview

Dimensions	ø117.2 × 116.5 mm (ø4.61 × 4.59")
IR Night Vision	40 m (131 ft)
Zoom Mode	2.36x Optical
Face Recognition	✓
License Plate Recognition	✓
Smart Detections (People, Vehicles, Animals)	✓
Resolution	4K
Networking Interface	GbE RJ45 port
Field of View	Wide: H: 113.8°, V: 61.9°, D: 134° Tele: H: 45.5°, V: 25.8°, D: 52°
Audio	Two-way audio
Weatherproofing	IP66

Tamper Resistance	IK04
Mounting	Ceiling, Wall mount (Included) Arm, Pendant mount, Junction box (Optional)
^ Performance	
Networking Interface	GbE RJ45 port
Video	
Image Settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay, HDR
Max. Frame Rate	30 FPS
Resolution	8MP 3840 x 2160 (16:9)
Optics	
Sensor	1/1.2" 8MP
Lens	F 5.85-13.8 mm; f/1.5-f/2.9
Night Mode	Built-in adaptive IR LED illumination and IR cut filter
^ Hardware	
Max. Power Consumption	15W
Supported Voltage Range	42.5-57V DC
Power Method	PoE+
Processor	Quad core Arm® Cortex®-A53 based chip
Weight	1.2 kg (2.6 lb)
Enclosure Material	Aluminum alloy, polycarbonate
Expansion Slot	MicroSD card
Button	(1) Factory reset
Cable	
Cable Connector Type	RJ45
Cable Diameter	4.5 mm (0.2")
Cable Length	30 cm (1 ft)
Jacket Enclosure Dimensions	∅20 x 70.55 mm (∅0.8 x 2.8")
Jacket Enclosure Material	Thermoplastic elastomer, polycarbonate, silicone Rubber

Ambient Operating Temperature	-30 to 50° C (-22 to 122° F)
Ambient Operating Humidity	0 to 90% noncondensing
NDAA Compliant	✓
Certifications	CE, FCC, IC

Stay in Touch

[Terms of Service](#) | [Privacy Policy](#) | [Legal](#) | [Cookies Settings](#)

© 2026 Ubiquiti, Inc. All rights reserved.